



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 - 255655 Fax: 08626 - 255655 E-mail: rsrenggcollege@gmail.com


Student's Feedback Analysis & Action Taken Report

(Academic Session – 2019-20)

Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Students. The feedback provided is presented below:

S. No.	Feedback on Parameter	Excellent %	Very Good %	Good %	Average %	Poor %
1	Course Content	68	19	10	3	0


Course Content



■ Excellent % ■ Very Good % ■ Good % ■ Average % ■ Poor %

2	Breadth of conceptual clarity	69	21	7	2	1
---	-------------------------------	----	----	---	---	---

Breadth of conceptual clarity



■ Excellent % ■ Very Good % ■ Good % ■ Average % ■ Poor %



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 - 255655


Fax: 08626 - 255655

E-mail: rsrenggcollege@gmail.com

3	Evaluation Scheme	70	19	7	2	2
---	-------------------	----	----	---	---	---



4	Involvement of faculty	64	26	5	2	3
---	------------------------	----	----	---	---	---





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.


Ph: 08626 - 255655

Fax: 08626 - 255655

E-mail: rsrenggcollege@gmail.com


5	Overall Effectiveness of the course	63	29	4	4	0
---	-------------------------------------	----	----	---	---	---

Overall Effectiveness of the course



6	Preparedness of the faculty	61	26	7	3	3
---	-----------------------------	----	----	---	---	---

Preparedness of the faculty





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 - 255655

Fax: 08626 - 255655

E-mail: rsrenggcollege@gmail.com

13	Standards of assessment system	69	22	4	5	0
Standards of assessment system ■ Excellent % ■ Very Good % ■ Good % ■ Average % ■ Poor %						
14	Quality of teaching	72	15	10	2	1
Quality of teaching ■ Excellent % ■ Very Good % ■ Good % ■ Average % ■ Poor %						

V. S. Reddy
 Coordinator - IQAC
 Ramireddy Subbarami Reddy
 Engineering College
 NH-5, Kadanuthala - 524142

[Signature]
 PRINCIPAL
 RAMIREDDY SUBBARAMI REDDY
 ENGINEERING COLLEGE
 NH-5, KADANUTHALA - 524 142.




Teacher's Feedback Analysis & Action Taken Report (Academic Session - 2019-20)

Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Teachers. The feedback provided is presented below:

S.No.	Feedback on Parameter	Strongly Agree %	Agree %	Satisfactory %	Disagree %	Strongly Disagree %
1	Environment in the department is conducive to teaching	61	23	10	4	2


Environment in the department is conducive to teaching



■ Excellent % ■ Very Good % ■ Good % ■ Average % ■ Poor %

2	Curriculum implementation	67	27	4	2	0
---	---------------------------	----	----	---	---	---

Curriculum implementation



■ Excellent % ■ Very Good % ■ Good % ■ Average % ■ Poor %



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.


Ph: 08626 – 255655

Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com


3	Prescribed books availability in the library	69	19	7	4	1
---	--	----	----	---	---	---

Prescribed books availability in the library



4	Infrastructural facilities in the department	67	21	7	3	2
---	--	----	----	---	---	---

Infrastructural facilities in the department





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.


Ph: 08626 – 255655

Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com


5	Conduction of examination with proper coverage of all units in the syllabus	66	18	11	3	2
---	---	----	----	----	---	---

Conduction of examination with proper coverage of all units in the syllabus



6	Freedom to adopt new techniques/strategies in teaching	68	14	12	6	0
---	--	----	----	----	---	---

Freedom to adopt new techniques/strategies in teaching





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.


Ph: 08626 – 255655

Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com


7	Adequate funding and support to faculty members for attending conferences	63	25	7	3	2
---	---	----	----	---	---	---

Adequate funding and support to faculty members for attending conferences



8	Adequate and smooth support/incentives for projects and research facilities	60	29	7	0	4
---	---	----	----	---	---	---

Adequate and smooth support/incentives for projects and research facilities





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.


Ph: 08626 - 255655

Fax: 08626 - 255655

E-mail: rsrenggcollege@gmail.com

9	Adequate funding and support to faculty members for upgrading their skills and qualifications	64	20	11	3	2
---	---	----	----	----	---	---


Adequate funding and support to faculty members for upgrading their skills and qualifications



■ Excellent % ■ Very Good % ■ Good % ■ Average % ■ Poor %

10	Fair & transparent evaluation of answer scripts	77	13	6	4	0
----	---	----	----	---	---	---

Fair & transparent evaluation of answer scripts



■ Excellent % ■ Very Good % ■ Good % ■ Average % ■ Poor %

V. S. Reddy
Coordinator - IQAC
Ramireddy Subbarami Reddy
Engineering College
NH-5, Kadanuthala - 524142


[Signature]
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

Alumni Feedback Analysis & Action Taken Report


(Academic Session - 2019-20)

Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Alumni. The feedback provided is presented below:

S. No.	Feedback on Parameter	Excellent %	Very Good %	Good %	Average %	Poor %
1	Ambience	66	28	4	2	0



2	Environment	64	24	5	5	2
---	-------------	----	----	---	---	---



Ph: 08626 - 255655 Fax: 08626 - 255655 E-mail: rsrenggcollege@gmail.com

3	Infrastructure and lab facility	69	27	3	1	0
---	---------------------------------	----	----	---	---	---




RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 - 255655 Fax: 08626 - 255655 E-mail: rsrenggcollege@gmail.com

5	Project Guidance	68	19	7	6	0
---	------------------	----	----	---	---	---



6	Quality of support material	65	22	6	4	3
---	-----------------------------	----	----	---	---	---





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 - 255655


Fax: 08626 - 255655

E-mail: rsrenggcollege@gmail.com

7	Training and placement	63	24	7	4	2
---	------------------------	----	----	---	---	---



8	Library Facilities	69	21	9	1	0
---	--------------------	----	----	---	---	---



Ph: 08626 - 255655 Fax: 08626 - 255655 E-mail: rsrenggcollege@gmail.com

9	Canteen Facilities	68	20	6	5	1
---	--------------------	----	----	---	---	---

Ph: 08626 - 255655 Fax: 08626 - 255655 E-mail: rsrenggcollege@gmail.com





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 - 255655


Fax: 08626 - 255655

E-mail: rsrenggcollege@gmail.com

13	Standards of Assessment system	59	33	5	3	0
----	--------------------------------	----	----	---	---	---



14	Quality of teaching	59	29	7	2	3
----	---------------------	----	----	---	---	---



V. S. Reddy

Coordinator - IQAC

Ramireddy Subbarami Reddy
Engineering College
NH-5, Kadanuthala - 524142

[Signature]

PRINCIPAL

**RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.**



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655

Fax: 08626 – 255655


E-mail: rsrenggcollege@gmail.com

Employers Feedback Analysis & Action Taken Report (Academic Session - 2019-20)

Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Employers. The feedback provided is presented below

S.No.	Feedback on Parameter	Very Good %	Good %	Satisfactory %	Unsatisfactory %
1	Curriculum and Syllabus	59	28	10	3

Curriculum and Syllabus



■ Very Good % ■ Good % ■ Satisfactory % ■ Unsatisfactory %



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 - 255655

Fax: 08626 - 255655

E-mail: rsrenggcollege@gmail.com

2	Knowledge base of the candidate	61	26	7	6
Knowledge base of the candidate Very Good % Good % Satisfactory % Unsatisfactory %					
3	Practical hands on Skills	71	18	7	4
Practical hands on Skills Very Good % Good % Satisfactory % Unsatisfactory %					



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655

Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com

4	Communication Skills	55	29	12	4
Communication Skills ■ Very Good % ■ Good % ■ Satisfactory % ■ Unstaisfactory %					
5	Administrative Abilities	63	19	12	6
Administrative Abilities ■ Very Good % ■ Good % ■ Satisfactory % ■ Unstaisfactory %					



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE


(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala - 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 - 255655

Fax: 08626 - 255655

E-mail: rsrenggcollege@gmail.com



V. S. Reddy

Coordinator - IQAC
Ramireddy Subbarami Reddy
Engineering College
NH-5, Kadanuthala - 524142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.