



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


FEEDBACK ANALYSED & ACTION TAKEN (AY:2016-17)

STUDENT FEEDBACK ANALYSED & ACTION TAKEN REPORT (AY:2016-17)


Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Students.

The Feedback analysis is presented below:

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
1	Course Content	1	5	6	7	81



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
2	Breadth of conceptual clarity	3	5	4	6	82





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655


Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
3	Evaluation Scheme	0	3	3	9	85



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
4	Involvement of faculty	2	9	6	4	79





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.


Ph: 08626 – 255655

Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com


S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
5	Overall Effectiveness of the course	8	10	3	7	72

OVERALL EFFECTIVENESS OF THE COURSE



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
6	Preparedness of the faculty	2	1	8	11	78

PREPAREDNESS OF THE FACULTY





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655


Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
7	Quality of Interaction	5	6	6	8	75



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
8	Quality of rigor	1	6	4	7	82






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
9	Sequencing of the topics	0	3	1	15	81



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
10	Style of topics delivery	2	1	10	7	80





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655


Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
11	Time allotted for each topic	5	9	3	8	75



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
12	Value addition provided by the course	7	11	4	5	73





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.


Ph: 08626 – 255655

Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com


S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
13	Standards of assessment system	3	5	3	9	80

STANDARDS OF ASSESSMENT SYSTEM



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
14	Quality of teaching	0	2	9	3	86

QUALITY OF TEACHING



V. S. Reddy

Coordinator - IQAC
Ramireddy Subbarami Reddy
Engineering College
NH-5, Kadanuthala - 524142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.




Faculty Members Feedback Analysis Report 2016-17

- The IQAC of the institution designs and collects feedback from its stakeholders to monitor and evaluate its performance quality on Teacher, Content and Infrastructure. The feedbacks were collected from Students, Faculty Members, Alumni, Employers, and Parents across all departments
- The feedback collected from Faculty Members/Faculty is analyzed through a departmental committee and sent it to the respective authorities for the actions.

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
1	Environment in the department is conducive to teaching	0	2	2	13	83

Environment in the department is conducive to teaching

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
2	Content implementation	0	2	4	10	84



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
3	Prescribed books availability in the library	0	2	5	8	85

Prescribed books availability in the library

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
4	Infrastructural facilities in the department	2	1	6	9	82

Infrastructural facilities in the department

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %




S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
5	Conduction of examination with proper coverage of all units in the syllabus	2	2	3	13	80



Conduction of examination with proper coverage of all units in the syllabus


■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
6	Freedom to adopt new techniques/strategies in teaching	1	2	3	11	83

Freedom to adopt new techniques/strategies in teaching

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
7	Adequate funding and support to faculty members for attending conferences	0	2	2	8	88

Adequate funding and support to faculty members for attending conferences

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %




S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
8	Adequate and smooth support/incentives for projects and research facilities	2	2	4	7	85



Adequate and smooth support/incentives for projects and research facilities


■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
9	Adequate funding and support to faculty members for upgrading their skills and qualifications	0	1	3	13	83

Adequate funding and support to faculty members for upgrading their skills and qualifications

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
10	Fair & transparent evaluation of answer scripts	0	2	1	9	88

Fair & transparent evaluation of answer scripts

■ Feedback on Parameter ■ 1- Strongly Disagree % ■ 2- Disagree %
 ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %



V. S. Reddy

Coordinator - IQAC
Ramireddy Subbarami Reddy
Engineering College
NH-5, Kadanuthala - 524142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.




Alumni Feedback Analysis Report 2016-17

The IQAC of the institution designs and collects feedback from its stakeholders to monitor and evaluate its performance quality on Teacher, Content and Infrastructure. The feedbacks were collected from Students, Alumni, Faculty Members and Employers across all the departments.

The feedback provided is presented below:

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
1	Ambience	2	2	2	13	81





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655


Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
2	Environment	1	2	5	8	84



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
3	Infrastructure and lab facility	2	2	5	9	82





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE


(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
4	Faculty and teaching methods	1	3	8	9	79

Faculty and teaching methods



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
5	Project Guidance and Placement	0	4	8	13	75

Project Guidance and Placement





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE


(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
6	Quality of support material	3	4	5	10	78

Quality of support material



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
7	Training & Placement	1	3	5	11	80

Training & Placement





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.


Ph: 08626 – 255655

Fax: 08626 – 255655

E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
8	Library Facilities	05	1	4	10	80

Library Facilities



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
9	Canteen Facilities	3	5	5	8	79

Canteen Facilities






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
10	Hostel Facilities	5	4	4	7	80



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
11	Overall rating of the institute	3	3	4	8	82





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE


(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
12	Alumni Association/Network with old friends	1	2	3	11	83

Alumni Association/Network with old friends



S.No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
13	Standards of Assessment System	0	4	4	11	81

Standards of Assessment System





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE


(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
14	Quality of Teaching	1	3	5	7	84

Quality of Teaching



V. S. Reddy

Coordinator - IQAC
Ramireddy Subbarami Reddy
Engineering College
NH-5, Kadanuthala - 524142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.



Employers Feedback Analysis Report 2016-17


The IQAC of the institution designs and collects feedback from its stakeholders to monitor and evaluate its performance quality on Teacher, Content and Infrastructure. The feedbacks were collected from Students, Alumni, Faculty Members and Employers across all departments.

The feedback provided is presented below:

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
1	Content and Syllabus	2	6	11	3	78

Content and syllabus

■ Feedback on Parameter ■ 1- Poor % ■ 2- Average %
■ 3- Good % ■ 4- Very Good % ■ 5- Excellent %





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE


(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
2	Knowledge base of the candidate	1	2	3	10	84


Knowledge base of the candidate



- 1- Poor %
- 2- Average %
- 3- Good %
- 4- Very Good %
- 5- Excellent %

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
3	Practical handson Skills	2	2	2	11	83

Practical hands on Skills



- 1- Poor %
- 2- Average %
- 3- Good %
- 4- Very Good %
- 5- Excellent %



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

(Approved by AICTE and affiliated to JNTUA)


NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
4	Communication Skills	3	3	7	8	79

Communication


Skills



- 1- Poor %
- 2- Average %
- 3- Good %
- 4- Very Good %
- 5- Excellent %

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
5	Administrative Abilities	0	5	5	8	82

Administrative Abilities



- 1- Poor %
- 2- Average %
- 3- Good %
- 4- Very Good %
- 5- Excellent %



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE


(Approved by AICTE and affiliated to JNTUA)

NH-5, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.

Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
6	Overall Rating	2	2	4	12	80

Overall Rating



- 1- Poor %
- 2- Average %
- 3- Good %
- 4- Very Good %
- 5- Excellent %

V.S. Reddy

Coordinator - IQAC
Ramireddy Subbarami Reddy
Engineering College
NH-5, Kadanuthala - 524142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.